



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/547,995	10/28/2005	David John Grainger	50461/003001	8214
21559	7590	12/31/2007		
CLARK & ELBING LLP 101 FEDERAL STREET BOSTON, MA 02110			EXAMINER FOSTER, CHRISTINE E	
			ART UNIT 1641	PAPER NUMBER
			NOTIFICATION DATE 12/31/2007	DELIVERY MODE ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentadministrator@clarkelbing.com

Office Action Summary	Application No.	Applicant(s)	
	10/547,995	GRAINGER, DAVID JOHN	
	Examiner	Art Unit	
	Christine Foster	1641	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 1 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 15 December 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-46 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☐ Claim(s) _____ is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☒ Claim(s) 1-46 are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Election/Restrictions

1. Restriction is required under 35 U.S.C. 121 and 372.

This application contains the following inventions or groups of inventions which are not so linked as to form a single general inventive concept under PCT Rule 13.1.

In accordance with 37 CFR 1.499, applicant is required, in reply to this action, to elect a single invention to which the claims must be restricted.

Group I, claim(s) 1-12 and 46, drawn to a method for determining the relative abundance of a plurality of proteins.

Group II, claim(s) 13-21 and 41-44, drawn to peptide mixtures and libraries and kits comprising same.

Group III, claim(s) 22-33, drawn to a method of detecting a plurality of immunoglobulins.

Group IV, claim(s) 34-40, drawn to a method of detecting the presence of, or a susceptibility to, a disease or other medical condition.

Group V, claim(s) 45, drawn to a method of reducing the redundancy and bias of an antibody-expressing phage library.

2. The inventions listed as Groups I-V do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, they lack the same or corresponding special technical features for the following reasons:

According to PCT Rule 13.2, unity of invention exists only when the shared same or corresponding technical feature is a contribution over the prior art. The technical feature of Group I is that of a method of determining the relative abundance of a plurality of proteins using

as reagents (1) a reference sample comprising labeled proteins and (2) a plurality of tagged antibodies.

Chandler et al. (US 6,449,562 B1) teach methods of determining the levels of multiple analytes in fluid samples using bead-based flow cytometry methods. In one embodiment, a plurality of proteins (IgG, IgA, IgM, and BSA) was labeled by coating with fluorescent microspheres in order to simultaneously determine the levels of IgG, IgA, and IgM in a test serum sample (column 23, line 66 to column 25, line 45). The Ig-coated microspheres are incubated with the test sample (calibrator sera serving as unknowns) in the presence of a plurality of tagged antibodies (mixture of three Bodipy-labeled anti-human Ig antibodies) (see in particular column 25, lines 27-44 and column 27, lines 6-43). The amount of fluorescence Fm produced by the Bodipy-labeled antibodies binding to the microspheres (via sample antibody bridge) is then detected (see also column 23, lines 11-19; column 24, lines 14-27; and Tables 3-5). The results are compared to those of serum calibrators containing known amounts of IgG, IgA, and IgM (column 25, lines 27-44; column 27, lines 7-16), which may be zero (Tables 3-5), i.e. no test sample. Therefore, in light of the teachings of Chandler et al., the technical feature of Group I does not constitute a special technical feature as defined by PCT Rule 13.2, as it does not define a contribution over the prior art.

Election of Species

3. This application contains claims directed to more than one species of the generic invention. These species are deemed to lack unity of invention because they are not so linked as to form a single general inventive concept under PCT Rule 13.1.

The species are as follows:

In the event that Group I above is elected, the following elections are also required:

- a. Antibody tag linkage (elect one of the following):
 - i. Each tag is linked to a single antibody species (see claim 4).
 - ii. Each tag is linked to more than one species of antibody (see claim 5)
- b. Antibody binding (elect one of the following):
 - i. Each antibody species binds the same protein (see claim 6)
 - ii. Each tagged antibody binds a different protein (see claim 7)

Applicant is required, in reply to this action, to elect a single species to which the claims shall be restricted if no generic claim is finally held to be allowable. The reply must also identify the claims readable on the elected species, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered non-responsive unless accompanied by an election.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which are written in dependent form or otherwise include all the limitations of an allowed generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species. MPEP § 809.02(a).

The claims are deemed to correspond to the species listed above as indicated. The following claim(s) are generic: claims 1-3, 8-12, and 46 appear to be generic.

4. The species listed above do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, the species lack the same or corresponding special technical features for the following reasons:

Chandler et al. (discussed above) exemplifies adding a mixture of three anti-Ig antibodies (anti-IgG, anti-IgA, and anti-IgM), each of which are labeled with the Bodipy tag (column 27, lines 13-16), such that the tag is linked to more than one species or type of antibody. These anti-Ig antibodies bind to different proteins (i.e., IgG, IgA, and IgM immunoglobulin, respectively). Therefore, the species indicated above are not regarded as being of similar nature because they are not linked by a common property or activity that defines a contribution over the prior art.

Applicant is advised that the reply to this requirement to be complete must include (i) an election of a species or invention to be examined even though the requirement be traversed (37 CFR 1.143) and (ii) identification of the claims encompassing the elected invention.

The election of an invention or species may be made with or without traverse. To reserve a right to petition, the election must be made with traverse. If the reply does not distinctly and specifically point out supposed errors in the restriction requirement, the election shall be treated as an election without traverse.

Should applicant traverse on the ground that the inventions or species are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the inventions or species to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the inventions unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C.103(a) of the other invention.

Notice of Possible Rejoinder

The examiner has required restriction between product and process claims. Where applicant elects claims directed to the product, and the product claims are subsequently found allowable, withdrawn process claims that depend from or otherwise require all the limitations of the allowable product claim will be considered for rejoinder. All claims directed a nonelected process invention must require all the limitations of an allowable product claim for that process invention to be rejoined.

In the event of rejoinder, the requirement for restriction between the product claims and the rejoined process claims will be withdrawn, and the rejoined process claims will be fully examined for patentability in accordance with 37 CFR 1.104. Thus, to be allowable, the rejoined claims must meet all criteria for patentability including the requirements of 35 U.S.C. 101, 102, 103 and 112. Until all claims to the elected product are found allowable, an otherwise proper restriction requirement between product claims and process claims may be maintained. Withdrawn process claims that are not commensurate in scope with an allowable product claim will not be rejoined. See MPEP § 821.04(b). Additionally, in order to retain the right to rejoinder in accordance with the above policy, applicant is advised that the process claims should be amended during prosecution to require the limitations of the product claims. Failure to do so may result in a loss of the right to rejoinder. Further, note that the prohibition against double patenting rejections of 35 U.S.C. 121 does not apply where the restriction requirement is withdrawn by the examiner before the patent issues. See MPEP § 804.01.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christine Foster whose telephone number is (571) 272-8786. The examiner can normally be reached on M-F 8:30-5. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Long Le can be reached at (571) 272-0823. The fax

Application/Control Number:
10/547,995
Art Unit: 1641

Page 7

phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



Christine Foster
Patent Examiner
Art Unit 1641



LONG V. LE 12/21/07
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 1600